INDEX

Letters Å and Ä—see under A, letters Ø and Ö—see under O

Adamssons, K.; see Myers, 317

Ahlberg, G. and Ahlmark, G.: The Landry-Guillain-Barré syndrome and pregnancy, 377

Ahlmark, G.; see Ahlberg, 377

Åkerlund, M.: Myometrial activity and endometrial blood flow in an ectopic pregnancy, 479

Åkerlund, M., Bengtsson, L. and Ulmsten, U.: Recording of myometrial activity in the non-pregnant human uterus by a microtransducer catheter, 429

Alm, P.; see Thorbert, 45

Alteras, M.; see Biale, 483

Andersen, H. T.; see Maltau, 191

Andersson, K.-E.; see Rud, 457

Andersson, K.-E.; see Wingerup, 403

Arnesen, H.; see Eika, 473

Asmussen, Inger: Ultrastructure of human umbilical veins, 253

Axelsson, O., Lindberg, B. S., Nilsson, B. A. and Johansson, E. D. B.: Plasma levels of non-conjugated oestrone in high risk pregnancies, 113

Bahary, C.; see Leiba, 373

Bakketeig, L., Hoffman, H. J. and Sternthal, P. M.: Obstetric service and perinatal mortality in Norway, suppl. 77

Bar-Am, A.; see Mazor, 273

Beckman, Gunhild, Beckman, L. and Löfstrand, T.: Acid- and alkaline phosphatase in amniotic fluid in normal and complicated pregnancy, 1

Beckman, L.; see Beckman, 1

Behle, I.; see Neme, 19

Ben-Aderet, N.; see Biale, 349

Ben-Aderet, N.; see Biale, 483

Bengtsson, L. Ph.; see Åkerlund, 429

Berg, G.; see Rydén, 313

Bergman, B. and Hedner, T.: Antepartum administration of terbutaline and the incidence of hyaline membrane disease in preterm infants, 217

Bergman, B., Hedner, T. and Lundborg, P.: Effects of terbutaline on the pressure volume relationship in fetal rabbit lung, 323

Bergqvist, G., Holmberg, G., Rydner, T. and Václavínkova, Vlasta: Intrauterine death due to infection with group B streptococci, 127

Beyth, Y.: Improved method for hysterographic evaluation of uterine scar, 111

Beyth, Y. and Laufer, N.: A new method for pregnancy termination in polyhydramnios, 469

Biale, Y., Lazer, S. and Ben-Aderet, N.: Fracture and chemical composition of the deposit formed on the Lippes loop after prolonged use, 349

Biale, Y., Leventhal, H., Alteras, M. and Ben-Aderet, N.: Anencephaly and clomiphene-induced pregnancy, 483

Bieniarz, J., Shah, N., Dmowski, W. P., Rao, R. and Scommegna, A.: Premature labor treatment with Ritodrine in multiple pregnancy with three or more fetuses, 25

Borenstein, R.; see Dgani, 385

Brand, A.; see Wallenburg, 105

Breitnecker, G.; see Husslein, 73

Brenner, W. E.; see Dingfelder, 35

Brohult, Astrid, Brohult, J. and Brohult, S.: Regression of tumour growth after administration of alkoxyglycerols, 79

Brohult, J.; see Brohult, 79

Brohult, S.; see Brohult, 79

Bunne, G. and Öbrink, A.: Influence of pubococcygeal repair on urethral closure pressure at stress, 355

Bunne, G.; se Öbrink, 49

Bygdeman, M.; see Martin, 141

Carlström, K.; see Stånge, 289

Cederqvist, L. L.; see Rothe, 7

Chrétien, F. C.: Ultrastructure and variations of human cervical mucus during pregnancy and the menopause, 337

Christau, Susanne and Klebe, J. G.: Rupture of the spleen during delivery, 187

Coats, P., Florensa, E., Youssemnejadian, E. and Craft, I.: Plasma steroids in the foetal and maternal circulation at normal delivery and elective caesarean section, 121

Comninos, A. C.; see Kalpaktsoglou, 85

Craft, I.; see Coats, 121

Cullhed, S.; Carcinoma cervicis uteri stages I and IIa, suppl. 75

Czernobilsky, B.; see Dgani, 385

Dalén, N., Furuhjelm, Miriam, Jacobson, B. and Lamke, B.: Changes in bone mineral content in women with natural menopause during treatment with female sex hormones, 435

David, M. P.; see Deligdisch, 439

Deguchi, M.; see Mochizuki, 397

Deligdisch, Liane, Yedwab, G., Persitz, A. and David, M. P.: Ultrastructural features in normal and hyperplastic postmenopausal endometrium, 439

Deligdisch, Liane; see Mazor, 273

Dgani, R., Czernobilsky, B., Borenstein, R. and Lancet, M.: Granular cell myoblastoma of the vulva. Report of 4 cases, 385

Diedrich, P.; see Møller, 41

Digranes, A.; see Haram, 453

Dingfelder, J. R. and Brenner, W. E.: The thermogenic activity of exogenous E and F prostaglandins in humans, 35

Dmowski, W. P.; see Bieniarz, 25

Doležal, A.; see Štulc, 125

Drábkowa, J.; see Štulc, 125

Edelman, D. A.; see Ragab, 327

Eika, C., Arnesen, H. and Godal, H. C.: The ethanol gelation test in pregnancy, 473

Einerth, Y.: Cryosurgical treatment of dysplasia and carcinoma in situ of the cervix uteri, 361

Eneroth, P.; see Martin, 141

Eneroth, P.; see Moberg, 415

Eriksson, Margareta; see Stånge, 289
Erkkola, R.; see Lammintausta, 389
Eronen, M.; see Lammintausta, 389
Fagerlund, Christina; see Meirik, 287
Falck Larsen, J., Jacobsen, B., Holm, H. H., Fog Pedersen, J. and Mantoni, Margit: Intrauterine injection of vitamin K before the delivery during anticoagulant therapy of the mother, 227
Fianu, S.: Maternal mortality in Sweden 1955–1974, 129
Fianu, S. and Václavínková, Vlasta: The site of placental attachment as a factor in the etiology of breech presentation, 371
Florensa, E.; see Coats, 121
Fog Pedersen, J.; see Falck Larsen, 227
Friberg, L. G., Kullander, S., Persijn, J. P. and Korsten, C. B.: On receptors for estrogens (E_2) and androgens (DHT) in human endometrial carcinoma and ovarian tumours, 261
Frick, G., Johnsson, J. E., Landberg, T. and Snorradottír, M.: Relaparotomy in advanced ovarian carcinoma, 165
Fuchs, F.; see Rothe, 7
Furuhjelm, Miriam; see Dalén, 435
Fylling, P.; see Jerve, 237
Gaede, P., Trolle, D. and Pedersen, H.: Extremely low placental lactogen hormone (hPL) values in an otherwise uneventful pregnancy preceding delivery of a normal baby, 203
Gennser, G.; see Persson, suppl. 78
Gjønnaess, H. and Holten, E.: Doxycycline (Vibramycin®) in pelvic inflammatory disease, 137
Godal, H. C.; see Eika, 473
Gregersen, E. and Kjer, J. J.: Bipolar cautery for laparoscopic sterilization, 169
Grennert, L.; see Persson, suppl. 78
Gullberg, B.; see Persson, suppl. 78
Hagman, E.; see Ikonen, 241
Hammar, M. and Larsson-Cohn, U.: Massive enlargement of occluded tubes after postmenopausal treatment with natural estrogens, 189
Hansen, J. T.; see Møller, 41
Hansen, J. T.; see Møller, 133
Hansson, U., Irestedt, L. and Moberg, P. J.: Delivery complicated by myasthenia gravis and epilepsy, 183
Haram, K. and Digranes, A.: Vulvovaginal candidiasis in pregnancy treated with clotrimazole, 453
Harlin, J.; see Moberg, 415
Hartvig, P.; see Meirik, 287
Hashiba, N.; see Nakano, 293
Hedman, Anna-Kristina; see Václavínková, 69
Hedner, T.; see Bergman, 217
Hedner, T.; see Bergman, 323
Hoffman, H. J.; see Bakketeig, suppl. 77
Holm, H. H.; see Falck Larsen, 227
Holmberg, G.; see Bergqvist, 127
Holten, E.; see Gjønnaess, 137
Honda, T.; see Mochizuki, 179
Husslein, H., Breitenecker, G. and Tatra, G.: Premalignant and malignant uterine changes in immunosuppressed renal transplant recipients, 73
Ikonen, R. S., Hagman, E. and Pystynen, P.: Effect of fasting on blood glucose of parturient and her full term infant, 241
Ingelman-Sundberg, A.; see Öbrink, 49
Ioannidou, G. B.; see Kalpaktsoglou, 85
Irestedt, L.; see Hansson, 183
Jacobsen, B.; see Falck Larsen, 227
Jafari, K., Lash, A. F. and Webster, Augusta: Pregnancy and sarcoma, 265
Jenssen, H.: Changes in fetal supraventricular extrasystoles during uterine contractions in labour, 231
Jerve, F. and Fylling, P.: Therapeutic abortion—The 1975 report from Ullevål Hospital, 237
Joelsson, I.; see Myers, 317
Johansson, E. D. B.; see Axelsson, 113
Johansson, O.; see Moldin, 179
Johnsson, J. E.; see Frick, 165
Johnson, P.; see Patek, 381
Jouppila, P.; see Kuikka, 249
Käär, K.; see Kuikka, 249
Källén, B. and Rybo, G.: Conjoined twinning in Sweden, 257
Kalpaktsoglou, P. K., Ioannidou, G. B., Kondyli, A. P., Lekou, S. I., Papaconstantinou, D. and Comninos, A. C.: Immunochemotherapy in adenocarcinoma of the ovary, 85
Karam, K. and Mroueh, A.: Ovarian biopsy in the evaluation of amenorrhea, 301
Kaskarelis, D. B.: An abdominal approach to the surgical repair of post-hysterectomy vaginal inversion, 173
Kaskarelis, D.; see Lolis, 367
Katz, M.; see Sher, 223
Kaufmann, H.; see Leiba, 373
van Kessel, P. H.; see Wallenburg, 105
Kjer, J. J.; see Gregersen, 169
Kjørstad, K. E.; see Welander, 161
Klebe, J. G.; see Christau, 187
Kobilková, J.; see Štulc, 125
Kolstad, P.; see Welander, 161
Kondyli, A. P.; see Kalpaktsoglou, 85
Korsten, C. B.; see Friberg, 261
Kos, L.; see Novak, 95
Kuikka, J., Käär, K., Jouppila, P., Pyörälä, T. and Rekonen, A.: An intravenous ^{133}Xe method for measuring regional distribution of placental blood flow, 249
Kullander, S., Rausing, A. and Tropé, C.: Human ovarian tumours heterotransplanted to "nude" mice, 149
Kullander, S.; see Friberg, 261
Kullander, S.; see Persson, suppl. 78
Ladehoff, P. and Maruszczak, M.: A pregnancy with a hydatidiform mole, thyreotoxicosis and live-born infant, 477
Lähteenmäki, P.: Influence of oral contraceptives on immediate postabortal pituitary-ovarian function, suppl. 76
Lamke, B.; see Dalén, 435
Lammintausta, R., Erkkola, R. and Eronen, M.: Effect of chlorthiazide treatment on renin-aldosterone system during pregnancy, 389
Lancet, M.; see Dgani, 385
Landberg, T.; see Frick, 165
Larsson, B.; see Patek, 381
Larsson, B.; see Ölund, 333
Larsson-Cohn, U.; see Hammar, 189
Lash, A.; see Jafari, 265
Laufe, L.; see Ragab

Laufer, N.; see Beyth, 469
Lazer, S.; see Biale, 349
Leiba, S., Kaufman, H., Winkelsberg, G. and Bahary, C.: Pregnancy in a case of Nelson's syndrome, 373
Lekou, S. I.; see Kalpaktsoglou, 85
Leventhal, H.; see Biale, 483
Lindberg, B. S.; see Axelsson, 113
Lindström, K. and Ulmsten, U.: Some methodological aspects on the measurement of intraluminal pressure in the female urogenital tract in vivo, 63
Ljung, Åsa; see Moberg, 415
Loddovicci, O.; see Salvatore, 89
Löfstrand, T.; see Beckman, 1
Lolis, D. and Kaskarelis, D.: Human placental lactogen levels in amniotic fluid in normal and toxemic pregnancies, 367
Lundborg, P.; see Bergman, 323
Lundström, Viveka: Treatment of primary dysmenorrhea with prostaglandin synthetase inhibitors—a promising therapeutic alternative, 421
Macrae, D. J.; see Shackleton, 411
Makkonen, M.; Myometrial energy metabolism during pregnancy and normal dysfunctional labor, suppl, 71
Maltau, J. M. and Andersen, H. T.: On "the use of epidural anesthesia in obstetrics", 191
Mantoni, Margit; see Falck Larsen, 227
Marsál, K.; see Persson, suppl. 78
Martin, N. J., Jr, Bygdeman, M. and Eneroth, P.: The influence of locally administered prostaglandin E_2 and $F_{2\alpha}$ on uterine motility in the intact non-pregnant human uterus, 141
Maruszczak, M.; see Ladehoff, 477
Mazor, B., Bar-Am, A. and Deligdish, Liane: Cervical adeno-carcinoma and partial hydatidiform mole, 273
Meirik, O., Nygren, K.-G., Fagerlund, Christina and Hartvig, P.: Absorption of a 8-hydroxi-quinoline (Sterosan) through the vaginal mucosa, 287
Moberg, P. J., Eneroth, P., Harlin, J., Ljung, Åsa and Nord, C.-E.: Preoperative cervical microbial flora and post abortion infection, 415
Moberg, P. J.; see Hansson, 183
Mochizuki, M., Honda, T., Deguchi, M., Morikawa, H. and Tojo, S.: A study on the effect of dehydroepiandrosterone sulfate on so-called cervical ripening, 397
Moldin, P. and Johansson, O.: Acute fatty liver of pregnancy with disseminated intravascular coagulation, 179
Møller, B. R., Hansen, J. T., Diederich, P. and Oram, V.: Therapeutic abortion in an out-patient clinic, 41
Møller, B. R., Hansen, J. T. and Mommsen, S.: Effect of general and local anaesthesia on blood loss during and after therapeutic abortion, 133
Mommsen, S.; see Møller, 133
Morikawa, H.; see Mochizuki, 397
Mrouch, A.; see Karam, 301
Myers, R. E., Joelsson, I. and Adamsons, K.: The effects of isoproterenol on fetal oxygenation, 317
Nakano, R., Hashiba, N., Washio, M. and Tojo, S.: Ovarian follicular apparatus and hormonal parameters in patients with primary and secondary amenorrhea, 293
Nasiell, Karen; see Václavínková, 69
Neme, B. and Behle, I.: Perinatal mortality in hypertensive pregnant patients: Its reduction in a developing country, 19
Nilsson, B. A.; see Axelsson, 113
Nord, C.-E.; see Moberg, 415
Novak, F., Kos, L. and Pleško, F., The advantages of the artificial vagina derived from sigmoid colon, 95
Nygren, U.-G.; see Meirik, 287
Öbrink, A., Bunne, G., Ulmsten, U. and Ingelman-Sundberg, A.: Urethral pressure profile before, during and after pubococcygeal repair for stress incontinence, 49
Öbrink, A.; see Bunne, 355
Olesen, K. P. and Walter, S.: Bladder base insufficiency, 463
Ölund, A. and Larsson, B.: Comparison of extra-amniotic instillation of rivanol and PGF_2 either separately or in combination followed by oxytocin for second trimester abortion, 333
Oram, V.; see Møller, 41
Papaconstantinou, D.; see Kalpaktsoglou, 85
Patek, E. and Johnson, P.: Recurrent hydatiform mole. Report of a case with five recurrences, 381
Patek, Eva and Larsson, B.: Caesarean section. A clinical study with special reference to the increasing section rate, 245
Pedersen, H.; see Gaede, 203
Pehrsson, P.-H.; see Gennser
Perlman, M.; see Sadowsky, 177
Persijn, J. P.; see Friberg, 261
Persitz, A.; see Deligdisch, 439
Persson, P.-H., Grennert, L. and Gennser, G.: Ultrasound screening in pregnancy: Methodology and significance, suppl. 78
Pleško, F.; see Novak, 95
Pulkkinen, M. O., Salminen, J. and Virtanen, S.; Serum vitamin B_6 in pure pregnancy depression, 471
Pyörälä, T.; see Kuikka, 249
Pystynen, P.; see Ikonen, 241
Ragab, M. I., Edelman, D. A. and Laufe, L.: The effects of longacting paracervical block anesthesia on the abortifacient efficacy of intra-amniotic PGF_2 and hypertonic saline, 327
Ramsoe Jacobsen, J.; see Valerius, 407
Rao, R.; see Bieniarz, 25
Rausing, A.; see Kullander, 149
Rekonen, A.; see Kuikka, 249
Rolschau, J.: Aspects of placental pathology and growth retardation. A prospective patho-anatomical and cellular study, suppl. 72
Rosengren, E.; see Thorbert, 45
Rothe, D. J., Cederqvist, L. L., Zervoudakis, A. and Fuchs, F.: Organization of amniocentesis for antenatal genetic diagnosis, 7
Rud, T., Ulmsten, U. and Andersson, K.-E.: Initiation of voiding in healthy women and those with stress incontinence, 457
Ruponen, S. and Taina, E.: Operative treatment of rectal endometriosis, 277
Rybo, G.; see Källén, 257
Rydén, G.: The value of serum cystine amniopeptidase (CAP), human chorionic somatomammotrophin (HCS), and urinary oestrogen assays for detecting intrauterine growth retardation, 211

Rydén, G. and Berg, G.: CAP, HCS and urinary oestriol assays in diabetic pregnancy, 313
Rydner, T.; see Bergqvist, 127
Sadovsky, E. and Perlman, M.: Decreased fetal movements and polyhydramnios, 177
Salminen, J.; see Pulkkinen, 471
Salvatore, C. A. and Lodovicci, O.: Vaginal agenesis: An analysis of ninety cases, 89
Sandahl, B.: Seasonal birth pattern in Sweden in relation to birth order and maternal age, 393
Scommegna, A.; see Bieniarz, 25
Secher, N. J. and Wallin, L.: Haemodynamic effects of oxytocin (Syntocinon®) and methyl ergometrine (Methergin®) on the systemic and pulmonary circulations of pregnant anaesthetized women, 97
Shackleton, C. H. L., Macrae, D. J. and Wilmott, M. P.: Comparison of oestriol in mother and fetus during labour and in the baby at birth, 411
Shah, N.; See Bieniarz, 25
Sher, G. and Katz, M.: Midtrimester intra-amniotic administration of prostaglandin $F_2\alpha$ in combination with an hyperosmolar urea solution: Effect upon plasma levels of estradiol, progesterone and human placental lactogen (HPL), 223
Snorradottír, M.; see Frick, 165
Sørensen, S.: An electroimmuno-assay of the pregnancy-specific β_1-glycoprotein (SP_1) in normal and pathological pregnancies, and its clinical value compared to human chorionic somato-mammotropin (HCS), 193
Staland, B.: Treatment of menopausal oestrogen deficiency symptoms in hysterectomised women by means of 17β-oestradiol pellet implants, 281
Sternthal, Phyllis M.; see Bakketeig, suppl. 77
Stånge, L., Carlström, K. and Eriksson, Margareta: Hypervitaminosis A in early human pregnancy and malformations of the central nervous system, 289
Střibrny, J.; see Štulc, 125
Štulc, J., Švihovec, J., Drábková, J., Střibrný, J., Kobilková, J., Vido, I. and Doležal, A.: Electrical potential difference across the mid-term human placenta, 125
Švihovec, J.; see Štulc, 125
Taina, E.; see Ruponen, 277
Tatra, G.; see Husslein, 73
Thorbert, G., Alm, P. and Rosengren, E.: Cyclic and steroid-induced changes in adrenergic neurotransmitter level of Guinea-pig uterus, 45
Tojo, S.; see Mochizuki, 397
Tojo, S.; see Nakano, 293
Trolle, D.; see Gaede, 203
Tropé, C.; see Kullander, 149
Tuimala, R.; Clinical studies on lecithin/sphingomyelin, suppl. 74
Ulmsten, U.; see Lindström, 63
Ulmsten, U.; see Rud, 457
Ulmsten, U.; see Åkerlund, 429
Ulmsten, U.; see Öbrink, 49
Václavínková, Vlasta, Hedman, Anna Kristina and Nasiell, Karen: Follow-up studies in dysplasia and cancer in situ of the cervix uteri, 69
Václavínková, Vlasta; see Bergqvist, 127
Václavínková, Vlasta; see Fianu, 371
Valerius, N. H. and Ramsoe Jacobsen, J.: Intrauterine supraventricular tachycardia, 407
Wallenburg, H. C., van Kessel, P. H. and Brand, Anneke: Transfer of ^{51}CR platelets and ^{51}Chromium ions across the term rhesus monkey placenta, 105
Wallin, L.; see Secher, 97
Walter, S.; see Olesen, 463
Washio, M.; see Nakano, 293
Webster, Augusta; see Jafari, 265
Welander, C., Kjørstad, K. E. and Kolstad, P.: Postoperative irradiation and chemotherapy in patients with advanced ovarian cancer, 161
Vido, I.; see Štulc, 125
Wilmott, M. P.; see Shackleton, 411
Wingerup, L., Andersson, K.-E. and Ulmsten, U.: Ripening of the uterine cervix and induction of labour at term with prostaglandin E_2 in viscous gel, 403
Winkelsberg, G.; see Leiba, 373
Virtanen, S.; see Pulkkinen, 471
Wood, C.: Diagnostic and therapeutic implications of intrapartum fetal pH measurements, 13
Yedwab, G.; see Deligdisch, 439
Youssemnejadian, E.; see Coats, 121
Zervoudakis, A.; see Rothe, 7